

CENTRALUS™ SOFTWARE

Add cloud-based control and monitoring or ICC2 and ACC2 Controllers with the mobile-friendly Centralus Irrigation Management Platform.

View Centralus Software today at centralus.hunterindustries.com.

KEY BENEFITS

- Browser-based programming and communication software
- Highly secure cloud access
- Map-based navigation and status
- Instant remote control from mobile device
- Flow monitoring and reporting
- Alarm reporting and detailed irrigation history reports
- Responsive web design configures for your device, allowing the same controls from your smartphone, tablet, or desktop
- Operable in many international languages
- Wi-Fi, Ethernet, or cellular connectivity options
- Manage Solar Sync™ Sensor adjustments and delay settings for greater water savings
- Organise maintenance teams and their controllers into management groups

OPERATING SPECIFICATIONS

- Operates in most modern browsers
- Secure internet connection for web-hosted application

USER-INSTALLED OPTIONS

- ET-based Solar Sync Sensor (one per controller)
- Flow sensors including Flow-Sync, WFS, HC Flow Meter, and other approved equals
- Connected controllers are compatible with licence-free ROAM/ROAM XL Remotes (pre-wired controller connection)


COMMUNICATION OPTIONS

- Ethernet with RJ-45 connection, low data requirements
- 2.4 GHz (only) Wi-Fi router compatible, 802.11 b/g/n 20 MHz
- Supported security protocols: WPA/WPA2 Personal (only) TLS, SSL
- Cellular connectivity with ICC2 and ACC2 Controllers

ACC2 COMMUNICATION MODULE INSTALLATION



A2C Communication Modules are installed behind the ACC2 Facepack



Manage and monitor controllers from anywhere


COMMUNICATIONS

Model	Description
WIFIKIT	ICC2 Wi-Fi connection
LANKIT	ICC2 LAN (Ethernet) connection
CELLKIT	ICC2 cellular connection (service plan required)
A2C-WIFI	ACC2 Wi-Fi connection
A2C-LAN	ACC2 LAN (Ethernet) connection
A2C-CELL-E	Cellular Communication Module (3G LTE) for ACC2 Controllers
A2C-LTEM	ACC2 4G Global connection (monthly service plan required)

COMMUNICATIONS ACCESSORIES

Model	Description
ANT-EXT-KIT	Universal Antenna Extension Kit

CENTRALUS CONTROLLERS



Mobile-Friendly

The mobile-friendly Centralus Irrigation Management Platform provides highly secure, comprehensive cloud-based control and monitoring features. The connectivity allows you to view a controller's status, change settings, view forecasts, save water, and receive instant notification of important system alarms.

User-Friendly

The addition of internet access brings dial-based ICC2 and ACC2 Controllers seamlessly into the world of next-generation irrigation control. From the intuitive Centralus dashboard, it's now easier than ever before to add alarm monitoring, location information, remote operation, and scheduling to Pro-C, ICC2, and ACC2 Controllers.

Easy to Upgrade

To upgrade to Centralus control, add a simple Wi-Fi, Ethernet (LAN), or Cellular communication module to the controller:

- ICC2: WIFIKIT, LANKIT, or CELLKIT (4G)
- ACC2: A2C-WIFI, A2C-LAN, A2C-LTEM (4G), or A2C-CELL-E (3G only)



Centralus™ Software

Enable ICC2 and ACC2 Controllers with next-generation management technology. To learn more, visit centralus.hunterindustries.com.



WIFIKIT

Height: 10.8 cm
Width: 6.4 cm (installed)
Depth: 3.5 cm



LANKIT

Height: 10.8 cm
Width: 6.4 cm (installed)
Depth: 3.5 cm



CELLKIT

Height: 8 cm
Width: 6 cm
Depth: 4 cm



A2C-WIFI

Height: 7.6 cm
Width: 5.7 cm
Depth: 2.5 cm



A2C-LAN

Height: 7.6 cm
Width: 5.7 cm
Depth: 2.5 cm



A2C-LTEM

Height: 7.6 cm
Width: 5.7 cm
Depth: 2.5 cm



Smart WaterMark

Recognised as a responsible water-saving tool when used with a Solar Sync Sensor